



# PURLINE ORGANIC FLOORING



### **The ecological alternative.**

*Your customers make the highest demands – increasingly also on the environmental compatibility and sustainability of the floor coverings. That's why we developed PURLINE. The innovative organic flooring is mostly made of natural, renewable raw materials, contains no harmful additives and is even so extremely durable and easy to clean: the perfect basis for ecological living and work.*

**WITH PURLINE YOU PROVIDE YOUR CUSTOMERS WITH A HIGH QUALITY FLOOR COVERING MADE OF NEW ORGANIC POLYURETHANE, WHICH FULFILS ALL THE CRITERIA OF A TYPICAL WINEO® PRODUCT.**

*For decades our name has stood for the best quality in implementation and the highest creativity in development, of course always made in Germany. You can rely on this also in the future – you have our promise.*

***It is only a floor. But the best one we can imagine.***

***Kind regards***

  
Matthias Windmüller



# CONTENTS

Naturally unique 7

Life cycle cost analysis 11

## APPLICATION AREAS

Health & Care 13

Public sector 15

Shopfitting & Exhibition stands 17

Catering & Hotel 19

Living areas 21

Formats and surfaces 22

Quality promise and award winning 24

## ORGANIC FLOORING IN ROLL FORMAT

**PURLINE** levante 26

**PURLINE** residenz 28

**PURLINE** timber 30

**PURLINE** artist 32

**PURLINE** digital | Individual decors 35

## ORGANIC FLOORING IN PLANK / TILE FORMAT

**PURLINE** wood & wood XL 38

**PURLINE** stone & stone XL 44

Accessories 51

Service 53

Product composition / Properties 54

Technical characteristics 55

# NATURALLY UNIQUE

## WHAT IS SPECIAL ABOUT PURLINE

People are increasingly taking care for a healthy lifestyle in harmony with nature. This also includes a consciously designed living environment – above all in sensitive areas, from hotels to hospitals, from children's nurseries to one's own place. With its environmental and health compatible properties, PURLINE is the first resilient organic floor to fulfil all the requirements of a modern life and living: a trend-setting alternative that sticks to its promises.

### More organic than ever

PURLINE is currently no doubt the most ecological resilient floor covering on the market: whether in production, in terms of everyday use or recycling. It is made of natural and renewable materials, without toxic additives – and also shows its best side in use.

#### Naturally ecological because ...

- ... the organic flooring is made of renewable raw materials and natural fillers.
- ... rapeseed or castor oil is used instead of petrochemical materials.
- ... PURLINE is completely free of chlorine, plasticisers and solvents.
- ... the organic flooring is recyclable and can be disposed of with household waste.



### Naturally tough

Due to its high quality contents and excellent processing, your customers can enjoy the organic flooring for a long time.

The ecological floor covering invites plenty of barefoot walking, is unimpressed by furniture imprints and even keeps its colour in the sun. We even guarantee this.

#### Naturally long-lasting because ...

- ... PURLINE is extremely durable and resilient.
- ... chemical and mechanical influences barely have any effect on it.
- ... the organic flooring shows unique recovery rate – almost 100 %.
- ... its UV-resistance is extremely high.

## For sure, natural

The organic flooring also shows its true natural side in the important topic of safety: it does not release any harmful substances, even if a little child's face should come too close to it on occasion.

### Naturally safe because...

- ... it contains no substances that are harmful to health such as plasticisers.
- ... PURLINE is completely odour-neutral and emission-free.
- ... no toxic gases and hardly any smoke are released – escape routes remain visible.



## A pure joy for the environment

Dirt or chemical substances? What bothers other floors simply drips off PURLINE. Its compact surface is really easy to keep tidy and hygienically clean: Not only that save your customers time, but also hard cash over the years.

### Naturally easy to clean because ...

- ... the organic floor withstands all conventional cleaning products from acid to alkaline.
- ... the closed surface ensures easy, quick and thorough cleaning.
- ... PURLINE is very hygienic and easy to clean thanks to its polyurethane surface.




# TESTED QUALITY

## PURLINE IN THE LIFE CYCLE TEST

The Pfiff Institute for industrial cleaning technology from Memmingen has given the properties of PURLINE a thorough examination. The emphasis was on the life cycle cost analysis. Among other things, the resistance and cleanability in the face of stresses and strains of everyday use were tested.

### Life cycle cost analysis



The results of the analysis confirm the extraordinarily high quality of PURLINE. The conclusion of the study: "Its resistance to chemical and mechanical influences and its environmental compatibility are exemplary. The life cycle costs of the PURLINE organic flooring are considerably lower compared to all other floor

coverings currently available on the market." The Pfiff Institute assumes that the flooring can be used economically and advisably especially in particularly heavily frequented areas, such as medical establishments, department stores, schools, airports and other public buildings.

### Extract of LCCA by Pfiff Institute:

#### Dirt removed without residue –

#### Cleaning costs are reduced, resources are conserved

- All conventional cleaning agents, whether acid or alkali, can be used without any problem; PURLINE by wineo® proves to be completely resistant.
- Due to the closed surface and low friction, the mop moves across the organic PU floor coverings quicker and easier.
- Extra polish or initial treatment are not necessary.

#### Perfect disinfectability –

#### Viruses have no chance

- All surface disinfectants can be used on the organic PU floor coverings without any problem.
- Contact plate tests, which are carried out to check the hygiene of surfaces, demonstrate an effective disinfectability.
- Even the contrast agents typically used in hospitals do not discolour the organic PU floor coverings.

#### Absolute resilience –

#### still like new even after years

- Thanks to a recovery rate of almost 100 %, no indentations caused by furniture can be seen after a short regeneration period.
- Mechanical loading tests demonstrate no visible wear to the surface.
- The resistance against sunrays is extremely high.



Pacific Oak  
PURLINE | PB00037T1



Cosmic Black  
PURLINE | PB00027RE

*The healthy  
option*

## Health & Care

Whether it is in the health or care sector, in fitness studios or spa facilities: the floors here are subject to extremely heavy use and have to show the best hygienic properties. No problem for the wineo® organic flooring: it is highly resilient, easy to clean and gives viruses no chance.

- Extremely wear resistant and durable
- Easy to clean thanks to polyurethane surface
- Outstandingly disinfected, proved by contact plate tests
- Harmless to health, as free from chlorine, solvents and plasticisers
- Withstands all conventional cleaning agents and disinfectants, alcohol and contrast agents
- No impressions left, even from heavy appliances due to almost 100 % recovery rate





Sinai Sand  
PURLINE | PB00002LE



Honey Mustard  
PURLINE | PB00005LE

*Where life bustles  
with action*

## Public sector

For children, the floor is naturally part of their life: for learning to walk, for riding a trike, for gazing at the ceiling, for falling down and getting back up. In public buildings too, the floors have to withstand the footsteps of several hundred visitors every day. The perfect application area for the extremely resilient wineo® organic floors.

- Extremely wear resistant and durable
- Harmless to health, as free from chlorine, solvents and plasticisers
- Odour-neutral and emission-free
- Easy to clean thanks to polyurethane surface
- Child-friendly designs from the artist collection





Milas White  
PURLINE | PLES30031



Antique White  
PURLINE | PB00001LE

*The basis  
for success*

## Shopfitting & Exhibition stands

Shop owners, traders and stand operators only want to think about their floor covering once: when they choose it. As soon as it is installed, it should provide the basis for effective work and frequently moving things around. A good thing that the wineo® organic flooring is so simple and tough.

- Extremely wear resistant and durable
- Easy to clean and maintain
- Pleasant room acoustics
- Ideal for long standing periods, as very gentle on the ankles
- Aesthetically impressive due to the wide choice of decors and colours
- High UV-resistance
- With further purchase guarantee





Metropolitan  
PURLINE | PLES30036

Puro Carbon  
PURLINE | PLES30029



Calistoga Cream  
PURLINE | PLEW1004

*The perfect host*

## Catering & Hotel

Only those who leave a good first impression make good hosts. That's why, for caterers and hoteliers, clean floors that demonstrate the best cleaning properties and provide appealing looks counts. The right task for the easy-care wineo® organic flooring.

- Quiet and pleasant room acoustics
- Easy to clean and maintain
- Resistant and tough, even under constantly heavy duty use
- Uniquely creative due to the wide choice of colours and designs
- Convincingly hygienic thanks to polyurethane surface
- Harmless to health, as free from chlorine, solvents and plasticisers
- With further purchase guarantee





Canyon Oak  
PURLINE | PLEW10007



Arctic Oak  
PURLINE | PLEW10008

*The natural  
living environment*

## Living rooms

Home is where we feel good and like to flop. Harmful substances should stay outside – the demand for a natural and healthy environment especially within one's place is high. The healthy organic flooring from wineo® is in the right place here.


- Harmless to health, as free from chlorine, solvents and plasticisers
- Sustainable and ecological, proven by numerous certificates
- Odour-neutral and emission-free
- Hygienic, as easy to clean and disinfect
- Uniquely creative due to the wide choice of colours and designs



# THE RIGHT FORMAT FOR EVERY APPLICATION

Your customers have the choice: offer them the wineo® PURLINE organic flooring in classic format on a roll or as a practical plank. In both versions, its low construction height makes it extremely renovation-friendly and features the best possible adhesive properties.

A detailed instruction for the right way to install, clean and maintain the flooring is available at [www.wineo.de](http://www.wineo.de).



Cosmic White  
PURLINE | PB00026RE



## ORGANIC FLOORING IN ROLL FORMAT

Anyone who is looking for an ecological floor covering for large areas will make the right decision by choosing PURLINE on a roll.

It is supplied in the standard format **20 x 2 m**.

For optimal installation we recommend fibre-bonded adhesives. The flooring can easily be cut using a hooked blade.

**PURLINE on a roll –  
ideally suited for ecological building plans.**



Garden Oak  
PURLINE | PLEW10005



## ORGANIC FLOORING IN PLANK / TILE FORMAT

In smaller spaces, e.g. in the home area, PURLINE in planks or tiles is the ideal choice. Available in these formats

**1200 x 200 mm, 1500 x 250 mm, 670 x 335 mm and**

**1000 x 500 mm** the planks can be quickly and easily installed with minimum preparation work. Dimensions matched to the decors ensure a perfect look.

**PURLINE in planks or tiles –  
optimal for environmentally aware living.**

# SURFACES TEXTURES

wineo® PURLINE organic flooring features different surfaces, which are individually matched to the decors.

The embossed stone and wood textures ensure a high level of authenticity. You will find the information about the respective surface under each decor illustration on the following pages.



fine wooden pore



rough wood structure



exclusive wood structure



slate structure



pearl structure



# QUALITY OUR PROMISE

**All products that bear the wineo® name must satisfy the highest standards. We can only manage this with an outstanding team: e.g. the carefully selected, responsible raw material suppliers, a reliable delivery service in all respects and our professional service team.**

The sales team in both the office and the field is occupied by highly competent employees, who exercise their job with plenty of commitment and passion. We are also proud of our strong research and development department, which repeatedly comes up with high quality new developments.



## Controlled quality

In order to guarantee the high quality of our products, we set ourselves the highest quality standards. From the first step of the manufacturing process onwards, we carry out continuous quality checks – both our own processes and those of other companies, who work with us, are permanently checked and in addition continually developed. For the safety of the retail and trade sectors, we also ensure that all the products meet the building regulations.

**VISIBLE EVIDENCE OF OUR QUALITY STANDARDS ARE THE NUMEROUS ECOLOGICAL AND TECHNICAL CERTIFICATIONS.**

**SO THAT YOU CAN RELY ON THEM.**

**MADE IN GERMANY**

## AWARD WINNING

For decades, Windmüller has been gathering technical expertise and practical experience in the field of the highest quality floor coverings. This knowledge is consistently used to constantly develop the products further.

They have won many awards, prizes and certificates, proving they are safe and reliable in terms of application – a good tip all round for architects, builders and all those who expect the highest quality.



Information représentative des émissions dans l'air intérieur des substances volatiles présentant un risque de toxicité par inhalation, sur une échelle de classe allant de C (fortes émissions) à A+ (très faibles émissions)



Member of



# PURLINE levante



**Antique White** | PB00001LE  
pearl structure




**Light Grey** | PB00021LE  
pearl structure



**Honey Mustard** | PB00005LE  
pearl structure




**Terracotta Dark** | PB00009LE  
pearl structure



**Apple Green** | PB00185LE  
pearl structure

Interior  
innovation  
award  
2014  
Winner



**Summer Sky** | PB00014LE  
pearl structure



**Sinai Sand** | PB00002LE  
pearl structure




**Silver Grey** | PB00022LE  
pearl structure




**Golden Yellow** | PB00006LE  
pearl structure




**Red Berry** | PB00010LE  
pearl structure



**Spring Green** | PB00020LE  
pearl structure



**Blue Lagoon** | PB00015LE  
pearl structure



**Melange** | PB00003LE  
pearl structure




**Steel Grey** | PB00023LE  
pearl structure




**Light Apricot** | PB00007LE  
pearl structure



**Red Rubin** | PB00011LE  
pearl structure



**Racing Green** | PB00019LE  
pearl structure



**Navy Blue** | PB00016LE  
pearl structure




**Cappuccino** | PB00004LE  
pearl structure



**Midnight Grey** | PB00024LE  
pearl structure



**Terracotta Light** | PB00008LE  
pearl structure



**Lavender Field** | PB00012LE  
pearl structure



**Jungle Green** | PB00018LE  
pearl structure




**Midnight Blue** | PB00017LE  
pearl structure



**Purple Rain** | PB00013LE  
pearl structure

## Technical characteristics

Roll format: 20 × 2 m  
Product thickness: 2.5 mm  
Weight: 3.6 kg / m<sup>2</sup>




# PURLINE residenz




**Almond Chip** | PB00029RE  
pearl structure



**Camel Chip** | PB00031RE  
pearl structure



**Cream Chip** | PB00030RE  
pearl structure




**Moonlight Chip** | PB00033RE  
pearl structure



**Cosmic White** | PB00026RE  
pearl structure



**Cosmic Black** | PB00027RE  
pearl structure




**Golden Chip** | PB00028RE  
pearl structure




**Chocolate Chip** | PB00035RE  
pearl structure



**Silver Chip** | PB00032RE  
pearl structure



**Carbon Chip** | PB00034RE  
pearl structure



**Pure White** | PB00025RE | \*PLES00025  
pearl structure




**Pure Black** | PB00194UN | \*PLES00194  
pearl structure

\* also available as tile in the size 500 x 500 mm

### Technical characteristics

Roll format: 20 × 2 m  
Product thickness: 2.5 mm  
Weight: 3.6 kg / m<sup>2</sup>



**PURLINE** timber



**Halifax Oak** | PB00036TI  
fine wooden pore



**Pacific Oak** | PB00037TI  
fine wooden pore



**Steamed Beech** | PB00040TI  
fine wooden pore



**Biskaya Cherry** | PB00041TI  
fine wooden pore



**Cottage Oak** | PB00038TI  
fine wooden pore




**Missouri Oak** | PB00039TI  
fine wooden pore



**Columbia Walnut** | PB00042TI  
fine wooden pore

**Technical characteristics**

Roll format: 20 × 2 m  
Product thickness: 2.5 mm  
Weight: 3.6 kg / m<sup>2</sup>



# PURLINE artist



**Happy Jungle** | PB00043AR  
pearl structure


## SKIRTING BOARDS



**Happy Animals** | PH00088AR (skirting board)  
pearl structure



**Happy Elephants** | PH00089AR (skirting board)  
pearl structure



**Letter Dance** | PB00045AR  
pearl structure




**Kids Dance** | PH00090AR (skirting board)  
pearl structure



**Alphabet Dance** | PH00091AR (skirting board)  
pearl structure

### Technical characteristics

Roll format:	20 × 2 m
Product thickness:	2.5 mm
Weight:	3.6 kg / m <sup>2</sup>



**PURLINE** artist



**Crazy Fish** | PB00044AR  
pearl structure


**SKIRTING BOARD**




**Crazy Boat** | PH00092AR (skirting board)  
pearl structure

**Technical characteristics**

Roll format:	20 × 2 m
Product thickness:	2.5 mm
Weight:	3.6 kg / m <sup>2</sup>



**PURLINE** digital | Individual decors



**Would your customers like to give their floor covering an individual design? Even that is no problem with wineo® organic flooring: for larger projects, the decor can be designed completely to their requirements.**

Anyone wanting to give their floor a very personal touch can choose from a wide selection of decors. It becomes even more individual if you create the design yourself.

This creative variety is made possible by a decor paper incorporated in the product (see composition), which can be individually printed.

Our sales representative will present all the options to you: your customers can be creative without limits.

The only condition is the purchase of a defined quantity, about which our sales representative can give you detailed information.

Give free reign to your creativity and design your own floor with PURLINE digital!

[your.wineo.de](http://your.wineo.de)

## A BIT OF NATURE FOR THE HOME AS WELL

For smaller spaces and living areas, the organic flooring comes in four handy plank and tile formats and with four different textures. To go with these, there is a choice of 26 highly authentic looking wood and 14 stone decors. The designs are matched to the formats, thereby ensuring perfect interior design – with whisper-quiet room acoustics and a wonderfully warm atmosphere.

### ALSO AVAILABLE IN EXTRA LARGE FORMATS

When you want things to go even quicker, the extra-wide and extra-long planks and tiles in the XL format are ideally suitable. They can be conveniently installed in no time at all. The generous format also impresses by creating a particularly attractive and pleasant spatial effect.

Standard plank format  
1200 x 200 mm

Extra large plank format  
1500 x 250 mm

**XL**

wood

Standard tile format  
670 x 335 mm

Extra large tile format  
1000 x 500 mm

**XL**

stone



# PURLINE<sub>wood</sub>



**Monterey Snow** | PLEW20021  
exclusive wood structure  
skirting board: 30060427



**Monterey Grey** | PLEW20022  
exclusive wood structure  
skirting board: 30060428



**Monterey Cream** | PLEW20024  
exclusive wood structure  
skirting board: 30060430



**Malmoe Pine** | PLEW20019  
rough wood structure  
skirting board: 30060425



**Denali Pine** | PLEW20018  
rough wood structure  
skirting board: 30060424



**Pino Delave** | PLEW20013  
rough wood structure  
skirting board: 30060419



**Sonoma Oak** | PLEW20016  
exclusive wood structure  
skirting board: 30060422



**Monterey Rustic** | PLEW20023  
exclusive wood structure  
skirting board: 30060429



**Dacota Oak** | PLEW20017  
exclusive wood structure  
skirting board: 30060423



**Napa Pine** | PLEW20020  
rough wood structure  
skirting board: 30060426




**Nevis** | PLEW20014  
fine wooden pore  
skirting board: 30060420



**Nevis Moon** | PLEW20015  
fine wooden pore  
skirting board: 30060421

### Technical characteristics

Plank format:	1200 × 200 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Planks / box:	16 / 3.84 m <sup>2</sup>



matching skirting board 14,5/50 **6**



# PURLINE wood



**Saba** | PLEW20009  
fine wooden pore  
skirting board: 30060415



**Bajo Pine** | PLEW20010  
rough wood structure  
skirting board: 30060416



**Aves Grey** | PLEW20011  
rough wood structure  
skirting board: 30060417




**Aves Brown** | PLEW20012  
rough wood structure  
skirting board: 30060418



**Aruba** | PLEW20025  
rough wood structure  
skirting board: 30060431




**Westend** | PLEW20026  
rough wood structure  
skirting board: 30060432



### Technical characteristics

Plank format:	1200 × 200 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Planks / box:	16 / 3.84 m <sup>2</sup>



matching skirting board 14,5/50 **6**

**Dacota Oak**  
PURLINE | PLEW20017

# PURLINE wood XL



**Garden Oak** | PLEW10005  
exclusive wood structure  
skirting board: 30060411



**Canyon Oak** | PLEW10007  
exclusive wood structure  
skirting board: 30060413



**Calistoga Chocolate** | PLEW10002  
exclusive wood structure  
skirting board: 30060408



**Arctic Oak** | PLEW10008  
exclusive wood structure  
skirting board: 30060414



**Calistoga Cream** | PLEW10004  
exclusive wood structure  
skirting board: 30060410



**Calistoga Nature** | PLEW10001  
exclusive wood structure  
skirting board: 30060407



**Calistoga Grey** | PLEW10003  
exclusive wood structure  
skirting board: 30060409



**Acadia** | PLEW10006  
exclusive wood structure  
skirting board: 30060412

### Technical characteristics

Plank format:	1500 × 250 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Planks/box:	10/3.75 m <sup>2</sup>



matching skirting board 14,5/50 **6**



# PURLINE stone



**Mocca Creme** | PLES40039  
pearl structure  
skirting board: 30060432 (white)



**Sola** | PLES40037  
slate structure  
skirting board: 30060432 (white)



**Jura Slate** | PLES40040  
slate structure  
skirting board: 30060432 (white) / 30060434 (dark grey)




**Scivaro Slate** | PLES40038  
slate structure  
skirting board: 30060432 (white) / 30060434 (dark grey)

### Technical characteristics

Tile format:	670 x 335 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Tiles / box:	16 / 3.59 m <sup>2</sup>

skirting board 14,5/50



**Mocca Creme**  
PURLINE | PLES40039

# PURLINE stone XL



**Milas White** | PLES30031  
pearl structure  
skirting board: 30060432 (white)



**Milas Beach** | PLES30030  
pearl structure  
skirting board: 30060432 (white)



**Metropolitan** | PLES30036  
pearl structure  
skirting board: 30060432 (white)



**Puro Snow** | PLES30027 (tile) | PB30027RE (roll)  
pearl structure  
skirting board: 30060432 (white)

ALSO AVAILABLE  
IN ROLL FORMAT



**Cézanne** | PLES30032 (tile) | PB30032RE (roll)  
pearl structure  
skirting board: 30060432 (white) / 30060433 (light grey)

ALSO AVAILABLE  
IN ROLL FORMAT



**Puro Carbon** | PLES30029 (tile) | PB30029RE (roll)  
pearl structure  
skirting board: 30060432 (white) / 30060433 (light grey)

ALSO AVAILABLE  
IN ROLL FORMAT



**Puro Silver** | PLES30028 (tile) | PB30028RE (roll)  
pearl structure  
skirting board: 30060432 (white)

ALSO AVAILABLE  
IN ROLL FORMAT



**Shooting Star** | PLES30034 (tile) | PB30034RE (roll)  
pearl structure  
skirting board: 30060432 (white) / 30060433 (light grey)

ALSO AVAILABLE  
IN ROLL FORMAT

### Technical characteristics | tile

Tile format:	1000 × 500 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Tiles / box:	8 / 4.00 m <sup>2</sup>




### Technical characteristics | roll

Roll format:	20 × 2 m
Product thickness:	2.5 mm
Weight:	3.6 kg / m <sup>2</sup>



skirting board 14,5/50



# PURLINE stone XL




**Tempera** | PLES30033 (tile) | PB30033RE (roll)  
pearl structure  
skirting board: 30060432 (white) / 30060433 (light grey)

ALSO AVAILABLE  
ON A ROLL!



**Carbon** | PLES30035  
pearl structure  
skirting board: 30060432 (white) / 30060434 (dark grey)



### Technical characteristics | tile

Tile format:	1000 × 500 mm
Product thickness:	2.5 mm
Weight:	3.9 kg / m <sup>2</sup>
Tiles / box:	8 / 4.00 m <sup>2</sup>



### Technical characteristics | roll

Roll format:	20 × 2 m
Product thickness:	2.5 mm
Weight:	3.6 kg / m <sup>2</sup>



skirting board 14,5/50



Carbon  
PURLINE | PLES30035

# ACCESSORIES



## SKIRTING BOARDS AND OUTER CORNERS

Skirting boards are used above all in the health & care sector and ensure a neat wall finish. Especially in areas where hygiene has a particular role, the skirting boards are an ideal solution.

For each PURLINE decor available on a roll we manufacture on an order-by-order basis skirting boards in the dimensions **100 mm (h) x 100 mm (d) x 2400 mm (l)** and outer corners in the dimensions **100 mm (h) x 100 mm (d) x 230 mm (l)**.



## WELDING RODS

The wineo® PURLINE welding rods are available for all designs of the collections levante, residenz, timber and artist and fit harmoniously within the flooring area.



## SKIRTING BOARDS

A finish using skirting boards not only enhances the whole floor covering aesthetically, there are also other practical benefits. Skirting boards also give you a perfectly enclosed surface that can easily be cleaned.



### Matching skirting boards

The decor-matching skirting boards are the ideal solution for a very harmonious wall finish and available for all designs of the collection PURLINE wood and wood XL.



This protects the wall from contamination and knocks at this point. Thanks to a special plastic component the PURLINE skirting boards are even waterproof!



### Exclusive skirting boards

Matching the decors of the collection PURLINE stone and stone XL we offer you our exclusive skirting boards in white, light grey and dark grey.

### Clipholder

For a quick and easy installation of the PURLINE skirting boards we recommend you use the Clipholder fastening system. This system enables invisible cable routing and can easily be removed should you want to paint or paper the walls.



# SERVICE

## WE ARE HAPPY TO HELP YOU

### **Comprehensive customer service**

wineo® organic flooring impresses with its permanently high quality and excellent environmental compatibility. Windmüller offers a close working relationship so that customers really find their optimal floor covering and enjoy it for many years. For details about this service and how we can actually support you with your project, please also read on

**[www.wineo.de](http://www.wineo.de)**.

### **Planning and advice**

A new floor covering is a special investment. Windmüller helps here with intensive advice and careful planning. In this way, technical questions are clarified in detail before – also on site at the customer's premises. Do you need a special colour, for example? Talk to us.

### **Sample service**

The decors shown in this brochure are reproductions. The natural incidence of light and the lighting can have an effect on how the colour of the decor is shown in the room photos. Order your original sample at

**[objektservice@windmoeller.de](mailto:objektservice@windmoeller.de)**.



# THE FLOOR COVERING MADE OF ORGANIC POLYURETHANE

The environmentally friendly PURLINE floor covering of wineo® is just 2.5 millimetres thick.

And yet this low material thickness features a complexly layered, finely balanced system:

**MADE IN GERMANY**



**1 PU top layer**

The robust, easy-care surface

**2 Decor paper**

In many colours, decors and designs

**3 Glass fibre reinforcement**

The floor's stabilising backbone

**4 PU base layer**

The heart of the material's good eco balance: polyurethane made of rapeseed or castor oil

**5 FleeceTEC-System®**

The underside laminated in an elaborate process makes the floor easy and convenient to install

**PROPERTIES**

Utilization class 23 – heavy-duty use in the home area

Utilization class 34 – very heavy-duty use in the commercial sector

Utilization class 43 – heavy-duty use in the light industrial sector

Stain resistance

Suitability for chair castors

Suitable for all conventional hot water underfloor heating

Suitability for wet rooms

Roll format

Plank/tile format

Gluing

## TECHNICAL CHARACTERISTICS

PURLINE	levante residenz timber artist	wood	wood XL	stone	stone XL
Installation type	to glue	to glue	to glue	to glue	to glue
Decor length	20 m	1200 mm	1500 mm	670 mm	1000 mm
Decor width	2 m	200 mm	250 mm	335 mm	500 mm
Product thickness	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
Weight	3.6 kg/m <sup>2</sup>	3.9 kg/m <sup>2</sup>	3.9 kg/m <sup>2</sup>	3.9 kg/m <sup>2</sup>	3.9 kg/m <sup>2</sup>
Planks or tiles / box	-	16	10	16	8
m <sup>2</sup> / box	-	3.84	3.75	3.59	4.00
Box / pallet	-	60	60	64	60
m <sup>2</sup> / pallet	-	230.40	225.00	229.76	240.00
Utilization classes EN ISO 10874	23 in the home area   34 in the commercial sector   43 in the light industrial sector				
Residual indentation EN ISO 24343-1	~ 0.05 mm	~ 0.05 mm	~ 0.05 mm	~ 0.05 mm	~ 0.05 mm
Dimension stability EN ISO 23999	≤ 0.05 %	≤ 0.10 %	≤ 0.10 %	≤ 0.10 %	≤ 0.10 %
Flexural behaviour EN ISO 24344	< 20 mm	< 20 mm	< 20 mm	< 20 mm	< 20 mm
Anti slip category DIN 51130	R9	R9	R9	R9	R9
Slip resistance EN 13893   bfu R 9729	μ ≥ 0,30 DS GS1/GS2 (structure dependent)				
Reaction to fire EN 13501-1	C <sub>fi</sub> - s1	C <sub>fi</sub> - s1	C <sub>fi</sub> - s1	C <sub>fi</sub> - s1	C <sub>fi</sub> - s1
Evaluation of the flue gas DIN 53436	toxicologically harmless				
Light fastness EN ISO 105-B02	≥ 7	≥ 7	≥ 7	≥ 7	≥ 7
Underfloor heating	Suitable for all conventional hot water underfloor heating and electrical systems regulated up to a surface temperature of 27° C.				
Thermal resistance ISO 8302	~ 0.01 (m <sup>2</sup> K)/W	~ 0.01 (m <sup>2</sup> K)/W	~ 0.01 (m <sup>2</sup> K)/W	~ 0.01 (m <sup>2</sup> K)/W	~ 0.01 (m <sup>2</sup> K)/W
Effect of a castor chair EN 425 / ISO 4918	Type W	Type W	Type W	Type W	Type W
Impact sound reduction EN ISO 10140	~ 4 dB	~ 4 dB	~ 4 dB	~ 4 dB	~ 4 dB
Immunity to stains / Chemical resistance   EN ISO 26987	very good resistance with regards to concentration and exposure time				
Effect of a furniture leg EN 424	no damage				
Classification of group of wear reaction EN 660-2	Group T	Group T	Group T	Group T	Group T
Anti-static characteristics EN 1815	≤ 2 kV	≤ 2 kV	≤ 2 kV	≤ 2 kV	≤ 2 kV

Alle decors shown in this brochure are reproductions. windmüller flooring products WFP GmbH provides no guarantee with regard to mistakes, printing errors and technical changes.

windmüller flooring products WFP GmbH

Nord-West-Ring 21

D-32832 Augustdorf

Tel.: +49 (0) 52 37 609 - 0

Fax: +49 (0) 52 37 609 - 309

info@wineo.de

[www.wineo.de](http://www.wineo.de)

Handed over by:

Product no. 20090742 | 08/2015

*Stage of life*

**wineo®**